

**AERODROME  
CHART - ICAO**

**ARP 53 21 08N 006 29 18W**

**AD ELEVATION 156FT**

**WESTON - EIWT  
IRELAND**

**CONSULT NOTAM FOR LATEST INFORMATION**

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS			
RWY/TWY/APRON	SURFACE	BEARING STRENGTH	WIDTH
RWY 07/25	Bitumen/Macadam (Grooved)	PCN 45/F/A/W/T	23m
TAXIWAY A, B, D, E, F, G, H, J	Bitumen/Macadam	PCN 45/F/A/W/T	16m
TAXIWAY C1, C2, C3, C4	Bitumen/Macadam	PCN 45/F/A/W/T	30m
TAXIWAY K	Bitumen/Macadam	PCN 45/F/A/W/T	7m
APRON	Bitumen/Macadam	PCN 45/F/A/W/T	-

HELICOPTER STAND	LATITUDE	LONGITUDE	CONDITIONS
1	53 21 17.17N	006 29 22.05W	Helicopter Use Only
2	53 21 17.95N	006 29 20.20W	Helicopter Use Only
3	53 21 18.65N	006 29 18.23W	Helicopter Use Only
4	53 21 19.30N	006 29 16.24W	Helicopter Use Only

**GUND** (Geoid Undulation) =  
The height of the Geoid (MSL) above the  
Reference Ellipsoid (WGS84) at the stated position

BEARINGS ARE MAGNETIC  
LINEAR DIMENSIONS IN METRES


ELEVATIONS IN FEET AMSL	<b>185</b>
HEIGHTS IN FEET ABOVE AD	(56)

ATS COMMUNICATION FACILITIES		
Service	Call Sign	Channel
TWR	Weston Tower	122.400MHz
GND	Weston Ground	119.425MHz
ATIS	Weston ATIS	118.875MHz

Rwy 25 THR Elev 152  
53 21 15.03N 006 28 55.66W  
(GUND Elevation 185)

WST  
114.70 MHz  
(CH 94X)  
53 21 09.98N 006 29 38.14W


Rwy 07 THR Elev 155  
53 21 01.48N 006 29 40.17W  
(GUND Elevation 185)



VAR 2°W - 2024  
N  
Annual Rate  
of Change -11' W

DECLARED DISTANCES (metres)				
	TORA	TODA	ASDA	LDA
RWY 07	924	924	924	924
RWY 25	924	1381	1381	924

LEGEND	
Aerodrome Reference Point (ARP)	⊕
Building	■
Wind Direction Indicator	▶
DVOR Lit	⊕
Runway Holding Position Pattern A	▬▬▬
Intermediate Holding Position (IHP)	—
Runway Holding Position Designator	F
Closed Taxiway/Disused Pavement	X
Clearway	⌈ ⌋
Stopway	⌈ ⌋
Helicopter Stand	Ⓜ



CHANGE: New Chart. SLC Geomatic Solutions.