

## GEN 3.2 AERONAUTICAL CHARTS

### 1. RESPONSIBLE SERVICE

Aeronautical Charts for the territory of Ireland are published by

Post: The Irish Aviation Authority,  
The Times Building  
11-12 D'Olier Street  
Dublin 2  
D02 T449  
Ireland

Phone: + 353 1 671 8655

Fax: + 353 1 679 2934

Email: [info@iaa.ie](mailto:info@iaa.ie)

URL: <http://www.iaa.ie>

Charts based on ICAO documents: Annex 4, Doc 8697

Differences to these provisions are detailed in [GEN 1.7](#)

Topographical information is reproduced under licence by permission of Ordnance Survey Ireland.

Charting service is available during Office hours 0930-1730 Local Time.

### 2. MAINTENANCE OF CHARTS

2.1 Aeronautical Charts included in the AIP are kept up to date by amendments to the AIP. Significant amendments or revisions in aeronautical information may be promulgated by NOTAM or Aeronautical Information Circular, as appropriate.

2.2 Corrections to Aeronautical Charts are promulgated as hand amendments to the AIP and listed in Sections [GEN 0.5](#) and [GEN 3.2.8](#). Items of information found after publication to have been incorrect at the aeronautical information date are corrected immediately by NOTAM if they are of operational significance.

### 3. PURCHASE ARRANGEMENTS

#### 3.1 VFR Chart Scale 1:500,000

The Irish Aviation Authority has produced a visual flight rules (VFR) aeronautical encapsulated A4 folded chart Scale 1:500,000. This chart is for VFR navigation within the boundaries of the Shannon FIR. In addition to aeronautical information, the charts provide terrain contours, hydrographic, topographic, cultural and other visual features compatible with legibility at the scale of the chart - this information is supplied by Ordnance Survey Ireland and/or Ordnance Survey Northern Ireland. It is available to order at a cost of €30.00 including VAT from:

Post: OSI,  
Map Sales Shop,  
Phoenix Park,  
Dublin 8,

Phone: + 353 1 802 5379

URL: <https://store.osi.ie/index.php/paper-products/aeronautical-charts.html>

#### 3.2 VFR Airspace Chart Scale 1:500,000

The Irish Aviation Authority has produced a visual flight rules (VFR) aeronautical airspace chart Scale 1:500,000.

This chart is for VFR navigation within the boundaries of the Shannon FIR.

It is available free to download from the IAA Web Site,

URL: <https://www.iaa.ie/commercial-aviation/airspace/aeronautical-charts>

#### 3.3 VFR Chart Scale 1:250,000

The Irish Aviation Authority has produced a visual flight rules (VFR) aeronautical encapsulated A4 folded chart Scale 1:250,000. It comprises two charts - front and back (East & West, North & South), covering the Shannon FIR. The charts are

for VFR navigation within the boundaries of the Shannon FIR. In addition to aeronautical information, the charts provide terrain contours, hydrographic, topographic, cultural and other visual features compatible with legibility at the scale of the chart - this information is supplied by Ordnance Survey Ireland and/or Ordnance Survey Northern Ireland. It is available to order at a cost of €30.00 including VAT per chart from:

Post: OSI,  
Map Sales Shop,  
Phoenix Park,  
Dublin 8,  
Phone: + 353 1 802 5379  
URL: <https://store.osi.ie/index.php/paper-products/aeronautical-charts.html>

All other aeronautical charts are available to download from:-

URL: <http://www.iaa.ie/commercial-aviation/airspace/aeronautical-charts>

#### 4. AERONAUTICAL CHART SERIES AVAILABLE

4.1 The following series of aeronautical charts are produced

1. Aeronautical Chart - ICAO 1:500,000
  2. Aeronautical Chart 1:250,000
  3. Instrument Approach Chart - ICAO \*
  4. Standard Departure Chart - Instrument (SID) - ICAO \*
  5. Standard Arrival Chart - Instrument (STAR) - ICAO \*
  6. Visual Approach Chart - ICAO\*
  7. Aerodrome Chart - ICAO \*
  8. Aircraft Parking/Docking Chart - ICAO \*
  9. Aerodrome Obstacle Chart - ICAO Type "A" (Operating Limitations) \*
  10. Aerodrome Obstacle Chart - ICAO Type "B"
  11. Precision Approach Terrain Chart - ICAO
  12. ATC Surveillance Minimum Altitude Chart \*
- (\* included in AIP Ireland)

URL: <http://www.iaa.ie>

4.2 General Description of Series of Charts

4.2.1 Aeronautical Chart - ICAO 1:500,000

The Irish Aviation Authority has produced a visual flight rules (VFR) aeronautical encapsulated A4 folded chart Scale 1:500,000. This chart is for VFR navigation within the boundaries of the Shannon FIR. In addition to aeronautical information, the charts provide terrain contours, hydrographic, topographic, cultural and other visual features compatible with legibility at the scale of the chart - this information is supplied by Ordnance Survey Ireland and/or Ordnance Survey Northern Ireland.

4.2.2 Aeronautical Chart 1:250,000

The Irish Aviation Authority has produced a visual flight rules (VFR) aeronautical encapsulated A4 folded chart Scale 1:250,000. It comprises two charts - front and back (East & West, North & South), covering the Shannon FIR. The charts are for VFR navigation within the boundaries of the Shannon FIR. In addition to aeronautical information, the charts provide terrain contours, hydrographic, topographic, cultural and other visual features compatible with legibility at the scale of the chart - this information is supplied by Ordnance Survey Ireland and/or Ordnance Survey Northern Ireland.

4.2.3 Instrument Approach Chart – ICAO

These charts are designed to provide the pilot with a graphic presentation of the Instrument Approach, Missed Approach and Holding Procedures and to facilitate the transition from non-visual to visual flight at any point on the final approach.

4.2.4 Visual Approach Chart – ICAO

These charts are designed to assist pilots making a visual approach and to provide pilots with designated holding patterns maintained by visual reference to the ground.

4.2.5 Aerodrome Chart – ICAO

These charts provide flight crew with detailed information on runways, taxiways, lighting and other aerodrome features to

facilitate the surface movement of aircraft.

#### 4.2.6 Aerodrome Obstacle Chart - ICAO - TYPE "A" (Operating Limitations)

These charts are designed to provide the operator with the data necessary to enable compliance with the operating limitations as contained in ICAO Annex 6.

#### 4.2.7 Aerodrome Obstacle Chart - ICAO - TYPE "B"

These charts are designed to provide the data necessary or determination of minimum safe altitudes/heights and procedures for use in the event of an emergency during take-off or landing.

#### 4.2.8 Precision Approach Terrain Chart – ICAO

These charts provide detailed terrain profile information within a defined portion of the final approach so as to enable aircraft operating agencies to assess the effect of terrain on decision height determination by the use of radio altimeter.

#### 4.2.9 ATC Surveillance Minimum Altitude Chart

This Supplementary Chart shall provide information that will enable flight crews to monitor and cross check altitudes assigned by a controller using an ATS surveillance system.

## 5. LIST OF CHART SERIES

Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
Aeronautical Chart ICAO 1:500,000	ANC/ 500	Edition 12	Ireland Sheet 2172 ABCD	24 FEB 2022
Aeronautical Chart/West 1:250,000	ANC/ 250	Edition 09	Ireland Sheet 2172 ABCD	24 FEB 2022
Aeronautical Chart/East 1:250,000	ANC/ 250	Edition 09	Ireland Sheet 2172 ABCD	24 FEB 2022
Aeronautical Chart/North 1:250,000	ANC/ 250	Edition 09	Ireland Sheet 2172 ABCD	24 FEB 2022
Aeronautical Chart/South 1:250,000	ANC/ 250	Edition 09	Ireland Sheet 2172 ABCD	24 FEB 2022
Standard Departure Chart- Instrument (SID) ICAO 1:750,000	SID	EIDW AD 2.24-10.1	EIDW RNAV RWY 28L CAT A,B	05 NOV 2020
	SID	EIDW AD 2.24-11.1	EIDW RNAV RWY 28L CAT C, D	08 SEP 2022
	SID	EIDW AD 2.24-12.1	EIDW RNAV RWY 28R CAT A,B	06 OCT 2022
	SID	EIDW AD 2.24-13.1	EIDW RNAV RWY 28R CAT C,D	20 APR 2023
	SID	EIDW AD 2.24-14.1	EIDW RNAV RWY 10L CAT A,B	06 OCT 2022
	SID	EIDW AD 2.24-15.1	EIDW RNAV RWY 10L CAT C,D	20 APR 2023
	SID	EIDW AD 2.24-16.1	EIDW RNAV RWY 10R CAT A, B	11 AUG 2022
	SID	EIDW AD 2.24-17.1	EIDW RNAV RWY 10R CAT C, D	16 JUN 2022
	SID	EIDW AD 2.24-18.1	EIDW RNAV RWY 16 CAT A, B	05 NOV 2020
	SID	EIDW AD 2.24-19.1	EIDW RNAV RWY 16 CAT C, D	06 OCT 2022
	SID	EIDW AD 2.24-20.1	EIDW RNAV RWY 34 CAT A, B	05 NOV 2020
	SID	EIDW AD 2.24-21.1	EIDW RNAV RWY 34 CAT C, D	06 OCT 2022
	SID	EIKY AD 2.24-3	EIKY RWY 26 CAT A, B	25 MAR 2021
	SID	EIKY AD 2.24-4	EIKY RWY 26 CAT C	25 MAR 2021
	SID	EIKY AD 2.24-5	EIKY RWY 08 CAT A, B	25 MAR 2021
	SID	EIKY AD 2.24-6	EIKY RWY 08 CAT C	25 MAR 2021
SID	EINN AD 2.24-5.1	EINN RNAV RWY 06	31 JAN 2019	
SID	EINN AD 2.24-6.1	EINN RNAV RWY 24	31 JAN 2019	

Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
Standard Departure Chart- Instrument (SID) ICAO 1:600,000	SID	EICK AD 2.24-6	EICK RNAV (GNSS) RWY 16 CAT A, B,	26 APR 2018
	SID	EICK AD 2.24-7	EICK RNAV (GNSS) RWY 16 CAT C, D,	26 APR 2018
	SID	EICK AD 2.24-8	EICK RNAV (GNSS) RWY 34 CAT A, B,	26 APR 2018
	SID	EICK AD 2.24-9	EICK RNAV (GNSS) RWY 34 CAT C, D,	26 APR 2018
	SID	EICK AD 2.24-10	EICK RNAV (GNSS) RWY 07 CAT A, B,	26 APR 2018
	SID	EICK AD 2.24-11	EICK RNAV (GNSS) RWY 07 CAT C, D,	26 APR 2018
	SID	EICK AD 2.24-12	EICK RNAV (GNSS) RWY 25 CAT A, B,	26 APR 2018
	SID	EICK AD 2.24-13	EICK RNAV (GNSS) RWY 25 CAT C, D,	26 APR 2018
Standard Departure Chart - Instrument (SID) - ICAO 1:500,000	SID	EIWT AD 2.24-3	EIWT RWY 07 CAT A, B	03 OCT 2024
Standard Departure Chart- Instrument (SID) ICAO 1:300,000	SID	EIKN AD 2.24-4	EIKN RNAV RWY26	13 SEP 2018
	SID	EIKN AD 2.24-5	EIKN RNAV RWY08	13 SEP 2018
Standard Arrival Chart- Instrument (STAR) ICAO 1:750,000	STAR	EIDW AD 2.24-22	EIDW RNAV RWY 28L/R (With Lateral Holding/Point Merge)	16 MAY 2024
	STAR	EIDW AD 2.24-23	EIDW RNAV RWY 10L/R (with Lateral Holding/Point Merge)	16 MAY 2024
	STAR	EIDW AD 2.24-24	EIDW RNAV RWY 16	16 MAY 2024
	STAR	EIDW AD 2.24-25	EIDW RNAV RWY 34	16 MAY 2024
	STAR	EINN AD 2.24-7.1	EINN RNAV RWY 06	31 JAN 2019
	STAR	EINN AD 2.24-8.1	EINN RNAV RWY 24	06 DEC 2018
Standard Arrival Chart- Instrument (STAR) ICAO 1:600,000	STAR	EICK AD 2.24-14	EICK RWY 16	11 OCT 2018
	STAR	EICK AD 2.24-15	EICK RWY 34	26 APR 2018
	STAR	EICK AD 2.24-16	EICK RWY 07 CAT A, B	26 APR 2018
	STAR	EICK AD 2.24-17	EICK RWY 25 CAT A, B	11 OCT 2018
Standard Arrival Chart- Instrument (STAR) ICAO 1:400,000	STAR	EIKN AD 2.24-7	EIKN RNAV RWY08	20 JUL 2017
Standard Arrival Chart- Instrument (STAR) ICAO 1:300,000	STAR	EIKN AD 2.24-6	EIKN RNAV RWY26	18 AUG 2016
Instrument Approach Chart ICAO 1: 500,000	IAC	EIDW AD 2.24-38	EIDW RNP RWY 16 CAT A, B, C, D	17 JUN 2021
	IAC	EIDW AD 2.24-39.1	EIDW ILS CAT I or LOC RWY 16	08 OCT 2020
	IAC	EIDW AD 2.24-40.1	EIDW VOR RWY 16	08 OCT 2020
	IAC	EIDW AD 2.24-41	EIDW RNP RWY 34	17 JUN 2021
	IAC	EIDW AD 2.24-42.1	EIDW VOR RWY 34	08 OCT 2020

Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
Instrument Approach Chart ICAO 1:450,000	IAC	EIDW AD 2.24-27.1	EIDW ILS CAT I & II or LOC RWY 28L CAT A,B,C,D	11 AUG 2022
Instrument Approach Chart ICAO 1: 400,000	IAC	EIKN AD 2.24-8.1	EIKN RNP RWY26 CAT A, B, C, D	08 SEP 2022
	IAC	EIKN AD 2.24-14	EIKN RNP RWY08 CAT A, B, C, D	25 MAR 2021
	IAC	EIDW AD 2.24-35.1	EIDW RNP RWY 10R CAT A, B, C, D	01 DEC 2022
Instrument Approach Chart ICAO 1:350,000	IAC	EINN AD 2.24-10.1	EINN ILS OR LOC RWY 06 CAT A,B,C,D	06 DEC 2018
	IAC	EINN AD 2.24-11.1	EINN VOR RWY 26 CAT A, B, C, D	06 DEC 2018
	IAC	EINN AD 2.24-13.1	EINN ILS CAT I & II or LOC RWY 24 CAT A, B, C, D	06 DEC 2018
	IAC	EINN AD 2.24-14.1	EINN VOR RWY 24 CAT A, B, C, D	06 DEC 2018
	IAC	EIKY AD 2.24-8	EIKY ILS OR LOC RWY 26 ACFT CAT A, B, C	08 DEC 2016
	IAC	EIKY AD 2.24-9	EIKY NDB RWY 26 CAT A,B,C	08 DEC 2016
	IAC	EIKN AD 2.24-9	EIKN ILS A CAT I & CAT II or LOC RWY26	18 AUG 2016
	IAC	EIKN AD 2.24-11	EIKN VOR RWY26	18 AUG 2016
	IAC	EIKN AD 2.24-15	EIKN VOR RWY08	18 AUG 2016
	IAC	EIKN AD 2.24-16	EIKN NDB RWY08	18 AUG 2016
	IAC	EIKN AD 2.24-17	EIKN NDB RWY08	18 AUG 2016
	IAC	EICK AD 2.24-25.1	EICK VOR RWY 07	08 SEP 2022
	IAC	EICK AD 2.24-27.1	EICK VOR RWY 25	08 SEP 2022
	IAC	EIDL AD 2.24-7.1	EIDL RNP RWY 02 CAT A,B,C	30 NOV 2023
	IAC	EIDL AD 2.24-9.1	EIDL RNP RWY 20 CAT A,B,C	30 NOV 2023
	IAC	EIDW AD 2.24-26.1	EIDW RNP RWY 28L	11 AUG 2022
	IAC	EIDW AD 2.24-28.1	EIDW VOR RWY 28L	08 OCT 2020
	IAC	EIDW AD 2.24-29.1	EIDW RNP RWY 28R CAT A, B, C, D	01 DEC 2022
	IAC	EIDW AD 2.24-30.1	EIDW ILS CAT I AND II OR LOC RWY 28R CAT A,B,C,D	06 OCT 2022
	IAC	EIDW AD 2.24-32.1	EIDW RNP RWY 10L	01 DEC 2022
	IAC	EIDW AD 2.24-33	EIDW ILS CAT I & II OR LOC RWY 10L CAT A,B,C,D	11 JUL 2024
	IAC	EIDW AD 2.24-36.1	EIDW ILS CAT I & II or LOC RWY 10R CAT A,B,C,D	06 OCT 2022
	IAC	EIDW AD 2.24-37.1	EIDW VOR RWY 10R	08 OCT 2020
	IAC	EIDW AD 2.24-45	EIDW VOR T RWY 28L CAT A, B, C, D	21 APR 2022
	IAC	EISG AD 2.24-7.1	EISG RNP Y RWY 10 CAT A, B	22 APR 2021
	IAC	EISG AD 2.24-8.1	EISG RNP Z RWY 10 CAT A, B	22 APR 2021
	IAC	EISG AD 2.24-9.1	EISG NDB Y RWY 10 CAT A, B	22 APR 2021
	IAC	EISG AD 2.24-10.1	EISG NDB Z RWY 10 CAT A, B	22 APR 2021
IAC	EISG AD 2.24-11.1	EISG RNP RWY 28 CAT A, B	22 APR 2021	

Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
	IAC	EISG AD 2.24-12.1	EISG NDB RWY 28 CAT A, B	22 APR 2021
	IAC	EIWF AD 2.24-8.1	EIWF RNP RWY 02 CAT A,B,C	30 NOV 2023
	IAC	EIWF AD 2.24-9.1	EIWF RNP RWY 20 CAT A,B,C	30 NOV 2023
	IAC	EIWT AD 2.24-5	EIWT VOR B RWY 07/25 CAT A, B	03 OCT 2024
	IAC	EIWT AD 2.24-7	EIWT VOR D RWY 07/25 CAT A, B	13 JUN 2024
Instrument Approach Chart ICAO 1: 330,000	IAC	EIDL AD 2.24-3	EIDL LOC RWY 21	05 APR 2012
	IAC	EIDL AD 2.24-4	EIDL NDB RWY 21	05 APR 2012
	IAC	EIDL AD 2.24-5	EIDL NDB RWY 03	05 APR 2012
	IAC	EIKN AD 2.24-10	EIKN ILS B CAT I & CAT II RWY26	28 APR 2016
	IAC	EIKN AD 2.24-12	EIKN NDB RWY26	28 APR 2016
	IAC	EIKN AD 2.24-13	EIKN NDB RWY26	28 APR 2016
	IAC	EIWF AD 2.24-3	EIWF ILS CAT 1 OR LOC RWY 21 CAT A,B,C	20 JUL 2017
	IAC	EIWF AD 2.24-5	EIWF NDB/DME RWY 21	30 OCT 2003
	IAC	EIWF AD 2.24-6	EIWF NDB RWY 03 CAT A, B, C	08 DEC 2016
Instrument Approach Chart ICAO 1:300,000	IAC	EICK AD 2.24-18	EICK RNP RWY 16	11 OCT 2018
	IAC	EICK AD 2.24-19.1	EICK ILS CAT I & II or LOC RWY 16	11 OCT 2018
	IAC	EICK AD 2.24-20	EICK VOR RWY 16	11 OCT 2018
	IAC	EICK AD 2.24-21	EICK RNP RWY 34	11 OCT 2018
	IAC	EICK AD 2.24-22	EICK ILS CAT I or LOC RWY 34	11 OCT 2018
	IAC	EICK AD 2.24-23	EICK VOR RWY 34	11 OCT 2018
	IAC	EICK AD 2.24-24	EICK RNP RWY 07	31 JAN 2019
	IAC	EICK AD 2.24-26	EICK RNP RWY 25 (LNAV Only)	11 OCT 2018
Instrument Approach Chart ICAO 1:250,000	IAC	EIKY AD 2.24-7	EIKY RNP RWY 26 CAT A, B, C	25 MAR 2021
	IAC	EIKY AD 2.24-10	EIKY RNP RWY 08 CAT A, B, C	20 MAY 2021
	IAC	EIKY AD 2.24-11	EIKY NDB RWY 08 CAT A, B, C	26 MAY 2016
Visual Approach Chart ICAO 1: 250,000	VAC	EICK AD 2.24-28	CORK	10 SEP 2020
	VAC	EIDL AD 2.24-15	DONEGAL	20 APR 2023
	VAC	EIKN AD 2.24-19	IRELAND WEST/KNOCK	20 MAY 2021
	VAC	EIKY AD 2.24-13	KERRY	25 MAR 2021
	VAC	EINN AD 2.24-15	SHANNON	10 SEP 2020
	VAC	EISG AD 2.24-16	SLIGO	23 MAR 2023
	VAC	EIWF AD 2.24-7	WATERFORD	23 MAR 2023
Visual Approach Chart ICAO 1: 160,000	VAC	EIDW AD 2.24-44	DUBLIN	22 APR 2021
Aerodrome Chart ICAO 1: 25,000	AD	EICK AD 2.24-1	CORK	08 NOV 2018
	AD	EINN AD 2.24-1	SHANNON	26 MAR 2020


Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
Aerodrome Chart ICAO 1: 20,000	AD	EIKN AD 2.24-1	IRELAND WEST	20 MAY 2021
	AD	EIKY AD 2.24-1	KERRY	20 MAY 2021
Aerodrome Chart ICAO 1: 15,000	AD	EIDL AD 2.24-1	DONEGAL	28 MAR 2019
	AD	EIWF AD 2.24-1	WATERFORD	21 MAR 2024
	AD	EISG AD 2.24-1	SLIGO	28 JAN 2021
Aerodrome Chart ICAO As per Published Chart	AD	EIDW AD 2.24-1	DUBLIN	11 JUL 2024
	AD	EIWT AD 2.24-1	WESTON	03 OCT 2024
Aerodrome Obstacle Chart ICAO – Type “A” Horizontal Scale 1:10,000 Vertical Scale 1:1,000	AOC	EICK AD 2.24-3	EICK RWY 07/25	26 APR 2018
	AOC	EICK AD 2.24-4	EICK RWY 16/34	26 APR 2018
	AOC	EIDL AD 2.24-2	EIDL RWY 03/21	28 JUN 2012
	AOC	EIDW AD 2.24-3	EIDW RWY 10R/28L	08 OCT 2020
	AOC	EIDW AD 2.24-4	EIDW RWY 10L/28R	11 AUG 2022
	AOC	EIDW AD 2.24-5	EIDW RWY 16/34	08 OCT 2020
	AOC	EIKN AD 2.24-2	EIKN RWY 08/26	18 AUG 2016
	AOC	EIKY AD 2.24-2	EIKY RWY 08/26	09 APR 2009
	AOC	EINN AD 2.24-4	EINN RWY 06/24	28 SEP 2006
	AOC	EISG AD 2.24-2	EISG RWY 10/28	28 JAN 2021
AOC	EIWF AD 2.24-2	EIWF RWY 03/21	21 MAR 2024	
Aerodrome Obstacle Chart ICAO – Type “A” Horizontal Scale 1:10,000	AOC	EIWT AD 2.24-2	EIWT RWY 07/25	03 OCT 2024
Aerodrome Obstacle Chart ICAO – Type “B”	AOC	EICK/Type B/Ver 1	EICK	-
	AOC	EIDL/Type B/Ver 1	EIDL	-
	AOC	EIDW/Type B/Ver 1	EIDW	-
	AOC	EIKN/Type B/Ver 1	EIKN	-
	AOC	EIKY/ Type B/Ver 1	EIKY	-
	AOC	EINN/Type B/Ver 1	EINN	-
	AOC	EISG/Type B/Ver 1	EISG	-
	AOC	EIWF/Type B/Ver 1	EIWF	-
Precision Approach Terrain Chart Horizontal Scale 1:2,500 Vertical Scale 1:500	PATC	EICK AD 2.24-5	EICK RWY 16	26 APR 2018
	PATC	EIDW AD 2.24-6	EIDW RWY 28L	08 OCT 2020
	PATC	EIDW AD 2.24-7	EIDW RWY 28R	11 AUG 2022
	PATC	EIDW AD 2.24-8	EIDW RWY 10L	11 AUG 2022
	PATC	EIDW AD 2.24-9	EIDW RWY 10R	25 FEB 2021
	PATC	EIKN AD2.24-3	EIKN RWY 27	21 MAR 2002
	PATC	EINN AD 2.24-3	EINN RWY 24	06 DEC 2018
Aircraft Parking/Docking Chart – ICAO 1:5,000	APDC	EICK AD 2.24-2	CORK	26 APR 2018
	APDC	EINN AD 2.24-2	SHANNON	25 APR 2019

---

Title of series and Scale	Series	Chart Ref	Chart name and/or Number	Date
Aircraft Parking/Docking Chart – ICAO 1:6,000	APDC	EIDW AD 2.24-2	DUBLIN	11 JUL 2024
ATC Surveillance Minimum Altitude Chart - ICAO 1:850,000		EIDW AD 2.24-43.1	DUBLIN	01 DEC 2022
ATC Surveillance Minimum Altitude Chart - ICAO 1:700,000		EINN AD 2.24-16	SHANNON	17 JUN 2021
ATC Surveillance Minimum Altitude Chart - ICAO 1:600,000		EICK AD 2.24-29.1	CORK	25 MAR 2021



6. INDEX TO WORLD AERONAUTICAL CHARTS – ICAO 1:500,000



7. TOPOGRAPHICAL CHARTS

Refer to [GEN 3.2.3](#)

8. CORRECTIONS TO CHARTS NOT CONTAINED IN THE AIP

Chart	Location	Correction
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/North ICAO 1:250,000 Ed 9	544214.17N 0081643.18W	Donegal, Clogheravaddy Windfarm Phase 2 (+3 turbines), Height: 416ft Elevation: 1180ft (No Change)
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/West ICAO 1:250,000 Ed 9	541013.50N 0092947.44W	Mayo, Oweninny Wind Farm, Phase 2(+31 turbines), Height: 578ft Elevation: 949ft (No Change)
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/South ICAO 1:250,000 Ed 9	513846.74N 0095418.92W	Castletownbere Lighthouse, Correction to both Height: 20ft and Elevation: 29ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531747.96N 0070656.88W	Offaly, Cloncreen Wind Farm, Height: 558ft Elevation: 791ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531536.28N 0071841.95W	Offaly, Garryhinch Bog Mast, Clonyhurk, Height: 328ft Elevation: 584ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	533742.05N 0070135.65W	Westmeath, Clonmellon Airstrip, Elevation: 85ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	535657.94N 0065302.25W	Cavan, Taghart Wind Farm, Height: 411ft Elevation: 1283ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	525912.77N 0072051.33W	Laois, Colt Met Mast, Height: 328ft Elevation: 722ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/West ICAO 1:250,000 Ed 9	532139.32N 0091833.45W	Galway, Ardderroo Wind Farm, Height: 582ft Elevation: 1267ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	533636.30N 0061600.89W	Tobertaskin Airstrip decommission, Dublin.
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	525107.93N 0065549.93W	Carlow, Limekiln at old Irish Sugar Factory Site, Height: 201ft Elevation: 380ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531222.60N 0075147.75W	Offaly, Cloghan Wind Farm, Height: 555ft Elevation: 752ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531220.52N 0071557.96W	Offaly, Moanvane Windfarm, Height: 550ft Elevation: 806ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/South ICAO 1:250,000 Ed 9		Lough Currane, Co. Kerry. Position: 514952.35N 0100729.24W
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	532745.55N 0064039.32W	Meath, Summerhill Mast Removed, Height: 818ft Elevation: 1160ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531642.19N 0072218.72W	Offaly, Ballingar Mast Removed, Height: 980ft Elevation: 1222ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	532742.06N 0064026.93W	Meath, Existing Summerhill Mast in place, Height: 97ft Elevation: 436ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/North ICAO 1:250,000 Ed 9	540811.26N 0071015.90W	Monaghan, Drumlins Wind Farm, Height: 591ft Elevation: 1060ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	530218.47N 0071707.51W	EIP8-Laois, Portlaoise Prison, Lat/Long Updated, Position: 530218.47N 0071707.51N, Height: GND, Elevation: 5000ft, Radius: 2NM
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/West ICAO 1:250,000 Ed 9	541957.60N 0081516.80W	Sligo, Unlit Mast, Height: 300ft Elevation: 1137ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/South ICAO 1:250,000 Ed 9		Cork, Glounthaune to Midleton Railway lines, Depiction of Railway Lines, Start Position: 515438.01N 0081921.47W Finish Position: 515516.05N 0081024.91W

Chart	Location	Correction
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/West ICAO 1:250,000 Ed 9	541144.54N 0093502.24W	Mayo, Sheskin Wind Farm, Height: 578ft Elevation: 985ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	532528.00N 0075652.00W	NEW EIR24-Westmeath, Custume Barracks, Athlone, Height: SFC, Elevation: 2000ft, Radius: 2NM
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/North ICAO 1:250,000 Ed 9	545322.50N 0075131.18W	Donegal, Lenalea Wind Farm, Height: 438ft Elevation: 1398ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/West ICAO 1:250,000 Ed 9	525936.30N 0092221.70W	Clare, Doonagore, Doolin, Lighted Mast added, Height: 148ft Elevation: 680ft
Aeronautical Chart ICAO 1:500,000 Ed 12	543830.24N 0061738.70W	Belfast Aldergrove and Langford Lodge Airfield Information Text incorrect on the 1/500,000 series chart
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart/East ICAO 1:250,000 Ed 9	531913.9315N 0070302.3814W, 531723N 0070415W, 531333N 0070330W, 531219.2491N 0070021.6357W, Arc centre/EICL 531459N 0070724W, Radius of 5 nm	Clonbullogue (EICL) Parachute Area Revised Height: SFC Elevation: 4500ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart South ICAO 1:250,000 Ed 9	512211.33N 0075647.73W	Co Cork, Kinsale Energy Platform A decommissioning and removed. Height: 216ft Elevation: 216ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart South ICAO 1:250,000 Ed 9	512135.34N 0080101.77W	Co Cork, Kinsale Energy Platform B decommissioning and removed. Height: 216ft Elevation: 216ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart North ICAO 1:250,000 Ed 9	550343.64N 0081249.48W	SSO-EISN-0026.005, Donegal, Cronalaght Wind Turbine Lat DMS updated. 551343.64N 0081249.48W should read 550343.64N 0081249.48W. SSO's are currently not displayed on either the 1:500,000 or 1:250,000 charts.
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart West ICAO 1:250,000 Ed 9	532102.03N 0092302.01W	EISN-0469.043, Galway, Galway Wind Park Turbine 043 Lat DMS updated. 532102.03N 0092302.01W.
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart West ICAO 1:250,000 Ed 9	541013.50N 0092947.44W	EISN-0151, Mayo, Oweninny Wind Farm updated with two met masts.
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart West/South ICAO 1:250,000 Ed 9	523212.85N 0093039.97W	Co Kerry, Ballylongford Wind Farm. Height: 410ft Elevation: 700ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart North ICAO 1:250,000 Ed 9	540751.20N 0073609.10W	Co Cavan, Tullyway, Ballyconnell Wind Turbine update. Height: 555ft Elevation: 1224ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart East ICAO 1:250,000 Ed 9	531749.20N 0070657.60W	Co Offaly, Cloncreen Wind Farm data updated, and Met Mast added. Height: 558ft Elevation: 789ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart West & North ICAO 1:250,000 Ed 9	541049.70N 0085133.60W	Co Sligo, SSE Easky Dunniell Met Mast added. Height: 328ft Elevation: 922ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart South ICAO 1:250,000 Ed 9	524113.92N 0091613.44W	Co Clare, Crossmore Wind Farm added. Height: 409ft Elevation: 591ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart South ICAO 1:250,000 Ed 9	515257.08N 0082358.41W	Co Cork, Ballinure RTE Mast Removed. Height: 412ft Elevation: 424ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart West ICAO 1:250,000 Ed 9	533730.29N 0083151.15W	Co Galway, Clooncon East Wind Turbine added. Height: 295ft Elevation: 591ft

Chart	Location	Correction
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart East & West ICAO 1:250,000 Ed 9	531046.08N 0075439.33W	Co Offaly, Derrinlough Wind Farm. Height: 607ft Elevation: 798ft
Aeronautical Chart ICAO 1:500,000 Ed 12 Aeronautical Chart East ICAO 1:250,000 Ed 9	532419.10N 0071217.98W	Co Offaly, Yellow River Wind Farm. Height: 545ft Elevation: 827ft
Aeronautical Chart ICAO1:500,000 Ed 12 Aeronautical Chart East ICAO 1:250,000 Ed 9	531738.40N 0070024.48W	Co Offaly, Cushaling River Windfarm. Height: 614ft Elevation: 847ft